

V7[®]Cables

manufactured by Belkin



Quick Reference Guide

Network Cables

CAT6 Patch Cables	2
CAT5e Patch Cables	3
CAT5e Crossover Cables	3
Bulk RJ45 Connectors	3

Fiber Optic Cables

Duplex 50/125 Multimode	4
Duplex 62.5/125 Multimode	4

AV and Display Cables

DVI Cables and Adapters	5
HDMI Cables	5
VGA Cables, Adapters and Splitters	5
Audio/Video Cables	5

Peripheral Cables

USB Cables and Adapters	6
FireWire Cables	6
Serial/Parallel Cables and Adapters	6

Other Cables


Power Cables	7
SATA/eSATA/HDD Cables and Adapters	7
Phone Cables	7
Keyboard/Mouse Extension Cables	7

For more information about V7 products, visit www.ingrammicro.com/V7 or contact your Ingram Micro Sales Representative at 800-456-8000.

Network Cables

CAT6 Patch Cables - Snagless / Molded Boots

- Maximize your network speed with higher bandwidth—perfect for VoIP, video, and file transfers
- Performance tested—tested to exceed 500 MHz
- Protect your network investment for future expansion
- 5-year warranty against defects and workmanship




Ft	Black	Blue	Gray	Ft	Yellow	Green	Orange	White
1	V7-C6-01-BLK-S	V7-C6-01-BLU-S	V7-C6-01-GRY-S	1				
2	V7-C6-02-BLK-M*	V7-C6-02-BLU-S		2				
3	V7-C6-03-BLK-S	V7-C6-03-BLU-S	V7-C6-03-GRY-S	3	V7-C6-03-YLW-S	V7-C6-03-GRN-S	V7-C6-03-ORG-S	
5	V7-C6-05-BLK-M*	V7-C6-05-BLU-S	V7-C6-05-GRY-S	5	V7-C6-05-YLW-S	V7-C6-05-GRN-S	V7-C6-05-ORG-S	
6	V7-C6-06-BLK-M*	V7-C6-06-BLU-M*	V7-C6-06-GRY-M*	6				
7	V7-C6-07-BLK-S	V7-C6-07-BLU-S	V7-C6-07-GRY-S	7	V7-C6-07-YLW-S	V7-C6-07-GRN-S	V7-C6-07-ORG-S	V7-C6-07-WHT-S
10	V7-C6-10-BLK-S	V7-C6-10-BLU-S	V7-C6-10-GRY-S	10	V7-C6-10-YLW-S	V7-C6-10-GRN-S	V7-C6-10-ORG-S	V7-C6-10-WHT-S
14	V7-C6-14-BLK-S	V7-C6-14-BLU-S	V7-C6-14-GRY-S	14	V7-C6-14-YLW-S	V7-C6-14-GRN-S		
15		V7-C6-15-BLU-S		15				
25	V7-C6-25-BLK-S	V7-C6-25-BLU-S	V7-C6-25-GRY-S	25	V7-C6-25-YLW-S	V7-C6-25-GRN-S		
50			V7-C6-50-GRY-S	50				

* Molded

CAT5e Patch Cables - No Boots

- Compliant to industry standards – ETL-verified to TIA/EIA 568B and ISO/IEC 11801-compliant
- Performance tested – tested to exceed: 100 MHz
- Molded, snagless connectors
- Stranded, 24AWG, copper conductors
- 5-year warranty against defects and workmanship



Ft	Black	Blue	Gray	Red	Ft	Yellow	Green	White
1	V7-C5E-01-BLK	V7-C5E-01-BLU	V7-C5E-01-GRY	-	1	-	-	-
2	V7-C5E-02-BLK	V7-C5E-02-BLU	V7-C5E-02-GRY	-	2	V7-C5E-02-YLW	-	-
3	V7-C5E-03-BLK	V7-C5E-03-BLU	V7-C5E-03-GRY	V7-C5E-03-RED	3	V7-C5E-03-YLW	V7-C5E-03-GRN	-
4	V7-C5E-04-BLK	V7-C5E-04-BLU	V7-C5E-04-GRY	-	5	-	V7-C5E-05-GRN	V7-C5E-03-WHT
5	V7-C5E-05-BLK	V7-C5E-05-BLU	V7-C5E-05-GRY	-	6	V7-C5E-06-YLW	-	V7-C5E-06-WHT
6	V7-C5E-06-BLK	V7-C5E-06-BLU	V7-C5E-06-GRY	V7-C5E-06-RED	7	V7-C5E-07-YLW	V7-C5E-07-GRN	V7-C5E-07-WHT
7	V7-C5E-07-BLK	V7-C5E-07-BLU	V7-C5E-07-GRY	V7-C5E-07-RED	10	V7-C5E-10-YLW	V7-C5E-10-GRN	V7-C5E-10-WHT
8	-	V7-C5E-08-BLU	V7-C5E-08-GRY	-	14	V7-C5E-14-YLW	-	V7-C5E-14-WHT
10	V7-C5E-10-BLK	V7-C5E-10-BLU	V7-C5E-10-GRY	V7-C5E-10-RED	15	V7-C5E-15-YLW	-	-
12	-	-	V7-C5E-12-GRY	-	25	V7-C5E-25-YLW	-	-
14	V7-C5E-14-BLK	V7-C5E-14-BLU	V7-C5E-14-GRY	-				
15	-	V7-C5E-15-BLU	-	V7-C5E-15-RED				
20	V7-C5E-20-GRY	V7-C5E-20-BLU	V7-C5E-20-GRY	-				
25	V7-C5E-25-BLK	V7-C5E-25-BLU	V7-C5E-25-GRY	-				
50	-	-	V7-C5E-50-GRY	-				
100	-	-	V7-C5E-100-GRY	-				

CAT5e Patch Cables - Molded Boots

Ft	Black	Blue	Gray	Red
1	V7-C5E-01-BLK-M	V7-C5E-01-BLU-M	-	-
2	V7-C5E-02-BLK-M	V7-C5E-02-BLU-M	-	-
3	V7-C5E-03-BLK-M	V7-C5E-03-BLU-M	V7-C5E-03-GRY-M	V7-C5E-03-RED-M
4	-	-	-	-
5	V7-C5E-05-BLK-M	V7-C5E-05-BLU-M	V7-C5E-05-GRY-M	-
6	-	V7-C5E-06-BLU-M	-	-
7	V7-C5E-07-BLK-M	-	V7-C5E-07-GRY-M	-
8	-	-	-	-
10	V7-C5E-10-BLK-M	V7-C5E-10-BLU-M	-	V7-C5E-10-RED-M
12	-	-	-	-
14	V7-C5E-14-BLK-M	V7-C5E-14-BLU-M	V7-C5E-14-GRY-M	-
15	-	-	V7-C5E-15-GRY-M	-
20	-	-	V7-C5E-20-GRY-M	-
25	V7-C5E-25-BLK-M	V7-C5E-25-BLU-M	V7-C5E-25-GRY-M	V7-C5E-25-RED-M
50	-	-	V7-C5E-50-GRY-M	-

Ft	Yellow	Green	White
1	-	-	-
2	V7-C5E-02-YLW-M	-	-
3	V7-C5E-03-YLW-M	V7-C5E-03-GRN-M	V7-C5E-03-WHT-M
5	V7-C5E-05-YLW-M	-	V7-C5E-05-WHT-M
6	-	-	-
7	V7-C5E-07-YLW-M	V7-C5E-07-GRN-M	V7-C5E-07-WHT-M
10	V7-C5E-10-YLW-M	V7-C5E-10-GRN-M	V7-C5E-10-WHT-M
14	V7-C5E-14-YLW-M	-	-
15	-	-	-
25	-	V7-C5E-25-GRN-M	V7-C5E-25-WHT-M



CAT5e Patch Cables - Snagless Boots

Ft	Black	Blue	Gray	Red	Ft	Yellow	Green	Orange	White
1	V7-C5E-01-BLK-S	V7-C5E-01-BLU-S	-	-	1	-	-	-	V7-C5E-01-WHT-S
2	V7-C5E-02-BLK-S	V7-C5E-02-BLU-S	-	-	2	V7-C5E-02-YLW-S	-	-	-
3	V7-C5E-03-BLK-S	V7-C5E-03-BLU-S	V7-C5E-03-GRY-S	V7-C5E-03-RED-S	3	V7-C5E-03-YLW-S	V7-C5E-03-GRN-S	V7-C5E-03-ORG-S	-
5	V7-C5E-05-BLK-S	V7-C5E-05-BLU-S	V7-C5E-05-GRY-S	-	5	V7-C5E-05-YLW-S	-	V7-C5E-05-ORG-S	-
7	V7-C5E-07-BLK-S	V7-C5E-07-BLU-S	V7-C5E-07-GRY-S	V7-C5E-07-RED-S	6	V7-C5E-06-YLW-S	-	-	-
10	V7-C5E-10-BLK-S	V7-C5E-10-BLU-S	V7-C5E-10-GRY-S	V7-C5E-10-RED-S	7	V7-C5E-07-YLW-S	V7-C5E-07-GRN-S	-	V7-C5E-07-WHT-S
14	V7-C5E-14-BLK-S	V7-C5E-14-BLU-S	V7-C5E-14-GRY-S	V7-C5E-14-RED-S	10	V7-C5E-10-YLW-S	V7-C5E-10-GRN-S	V7-C5E-10-ORG-S	V7-C5E-10-WHT-S
20	V7-C5E-20-BLK-S	-	-	-	14	V7-C5E-14-YLW-S	V7-C5E-14-GRN-S	-	-
25	V7-C5E-25-BLK-S	V7-C5E-25-BLU-S	V7-C5E-25-GRY-S	V7-C5E-25-RED-S	15	V7-C5E-15-YLW-S	-	-	-
30	V7-C5E-30-BLK-S	-	-	-	25	V7-C5E-25-YLW-S	V7-C5E-25-GRN-S	-	-
100	-	-	V7-C5E-100-GRY-S	-					



CAT5e Molded Crossover Cables

Ft	Yellow
3	V7-C5X-03-YLW-M
7	V7-C5X-07-YLW-M
10	V7-C5X-10-YLW-M
14	-
25	V7-C5X-25-YLW-M

Bulk RJ45 Connectors for Cat5e/6 Patch Cables

Model	Details	Cable type
V7-RJ45CONN-50	50-pk. connectors	Bulk CAT5e, CAT6

Fiber Optic Cables


- Corning glass cores
- Ceramic ferrules
- RoHS-compliant, flexible PVC jacket
- PC polished
- 5-year warranty against defects and workmanship

Duplex 50/125 Multimode

Size	LC/LC
2 Meter	V7-50125LCLC02M
3 Meter	V7-50125LCLC03M
5 Meter	V7-50125LCLC05M
10 Meter	V7-50125LCLC10M
15 Meter	V7-50125LCLC15M

Duplex 62.5/125 Multimode

Size	LC/LC	LC/SC	LC/ST
1 Meter	V7-625LCLC-01M	V7-625LCSC-01M	V7-625LCST-01M
2 Meter	V7-625LCLC-02M	V7-625LCSC-02M	V7-625LCST-02M
3 Meter	V7-625LCLC-03M	V7-625LCSC-03M	V7-625LCST-03M
5 Meter	V7-625LCLC-05M	V7-625LCSC-05M	V7-625LCST-05M
10 Meter	V7-625LCLC-10M	V7-625LCSC-10M	V7-625LCST-10M



LC/LC



LC/SC



LC/ST

AV and Display Cables

- High-quality cables and adapters
- Offered in a variety of configurations
- 5-year warranty against defects and workmanship

DVI Cables

Size	DVI M to F	DVI M to M
6 Feet	V7-DV4121-06	V7-DV4141-06
10 Feet	V7-DV4121-10	V7-DV4141-10
15 Feet	-	V7-DV4141-15



HDMI Cables

Size	HDMI to HDMI
3 Feet	V7-HDMI-03
6 Feet	V7-HDMI-06
10 Feet	V7-HDMI-10



DVI Adapters

Adapter	Model
DVI Female to VGA Male	V7-DVIIF-VGAM
DVI Analog Panel Monitor	V7-DVIIM-VGAF



VGA Adapters and Splitters

VGA Adapter or Splitter	Model
DVI to VGA monitor adapter	V7-VGADVI
1 ft SVGA monitor Y Splitter cable	V7-VGAYCBL-01



VGA Cables

Foot	2XMNDN6M/M	Monitor Extension	Monitor Replacement	w/3.5MM Audio
1	-	-	V7-VGA028-01	-
3	-	V7-VGA025-03	-	-
6	V7-KVMKIT-06	V7-VGA025-06	V7-VGA028-06	-
10	V7-KVMKIT-10	V7-VGA025-10	V7-VGA028-10	-
15	-	-	V7-VGA028-15	-
25	-	V7-VGA025-25	V7-VGA028-25	V7-VGAAUD-25
50	-	V7-VGA025-50	V7-VGA028-50	V7-VGAAUD-50



Audio/Video Cables

Size	Composite A/V Kit	Digital optical audio	RCA 35MM Audio
3 Feet	V7-AV3RCA-03	-	-
6 Feet	V7-AV3RCA-06	V7-OPTAUDIO-06	V7-2RCA35MM-06
10 Feet	-	V7-OPTAUDIO-10	-

Size	Mini Stereo Dubbing	Mini Stereo Ext	RCA Audio Pair
3 Feet	-	-	-
6 Feet	-	V7-35MMEXT-06	V7-AUDIO2RCA-06
12 Feet	V7-35MM-12	-	-

Size	S-Video
6 Feet	V7-SVIDEO-06




Peripheral Cables

- Connect devices to your computer faster and easier
- Virtually limitless possibilities
- A variety of lengths available
- 5-year warranty against defects and workmanship

USB Cables

Size	A Male to A Female	A Male to B Male	USB A to Mini B
6 Inches	V7-USB2AA-06IN	-	-
20 Inches	-	V7-USB2AB-20IN	-
3 Feet	V7-USB2AA-03	-	V7-USBAMINIB-03
6 Feet	V7-USB2AA-06	V7-USB2AB-06	V7-USBAMINIB-06
9 Feet	V7-USB2AA-09	-	-
10 Feet	V7-USB2AA-10	V7-USB2AB-10	-
15 Feet	V7-USBACTEX-15	V7-USB2AB-15	-
16 Feet	V7-USBBACTEX-16	V7-USB2AB-16	-



USB Adapters

USB Adapter	Model
USB to DB9	V7-USDBDB9-ADPT
6 ft USB to Parallel Adapter	V7-USBPAR-06
USB to PS2 Adapter USB A Female	V7-USBPS2-ADPT
USB to PS2 Adapter 1 - USB A	V7-USBPS2



FireWire Cable

400 MPS	Model
14 Ft 6-pin to 6-pin	V7E-66FRWR-14




Serial/Parallel Cables

Size	AC Parallel	Mouse/Mon/Prt Ext	Serial Ext M to F
6 Feet		V7-DB9EXT-06	-
10 Feet	V7-1284PAR-10	-	V7-DB9EXT-10
20 Feet	V7-1284PAR-20	-	-

Size	Printer/Plotter	Printer/Plotter	Printer
6 Feet	V7-ATSERIAL-06	V7-PCSERIAL-06	V7-1284PAR-06
10 Feet	V7-ATSERIAL-10	V7-PCSERIAL-10	-

Size	Transfer	Null Modem - F to M	Null Modem - M to M
6 Feet	V7-SERIALDB9-06	V7-DB9FFNM-06	V7-DB9FMNM-06
10 Feet	V7-SERIALDB9-10	V7-DB9FFNM-10	-
15 Feet	-	V7-DB9FFNM-15	-



Serial/Parallel Adapters


Adapter	Model
AT Serial Adapter Block	V7-ATSER-ADPTR
Modular Adapter Black	V7-RJ45DB9-ADPT
Modular Adapter Gray	V7-RJ45DB9F-ADP



Other Cables

Power Cables

Size	Model	Power Cord Type
3 Feet	V7-PWRRPL-03	PC power cable, NEMA 5-15P to IEC320-C13
6 Feet	V7-PWRRPL-06	PC power cable, NEMA 5-15P to IEC320-C13
10 Feet	V7-PWRRPL-10	PC power cable, NEMA 5-15P to IEC320-C13
12 Feet	V7-PWRRPL-12	PC power cable, NEMA 5-15P to IEC320-C13
1 Foot	V7-PCPWREXT-01	PC power extension cable, IEC320-C13 to C14
3 Feet	V7-PCPWREXT-03	PC power extension cable, IEC320-C13 to C14
6 Feet	V7-PCPWREXT-06	PC power extension cable, IEC320-C13 to C14
10 Feet	V7-515MFEXT-10	AC power extension cable NEMA 5-15P to 5-15R



(NEMA 5 - 15P to C13)

SATA/eSATA/HDD Cables and Adapters

Size	eSATA to eSATA 7-Pin	3 GBPS 7-Pin to 7-Pin	SATA Internal Hard Dr
1 Meter	V7-7PESATA-01M	-	-
2 Meters	V7-7PESATA-02M	-	-
18 Inches	-	-	V7-7PSATA-18IN
19 Inches	-	V7-7PSATA-19IN	-
36 Inches	-	V7-7PESATA-36IN	-
39 Inches	-	V7-7PSATA-39IN	-

Size	Conductor Ribbon	Adapter
18 Inches	V7-ULTEIDE-18IN	V7-LP4SATA-18IN

Phone Cables

Size	Model	Phone Cord type
7 Feet	V7-RJ11PATCH-07	Fax/Modem Flat Patch
12 Feet	V7-PHONE-12	Telephone Cord

Keyboard/Mouse Extension Cables

Size	Model	Cable type
6 Feet	V7-PS2EXT-06	Key/Mouse Extension DIN6M to DIN6F PS/2

Design and specifications are subject to change without prior notice. Trademarks belong to their respective owners. No responsibility assumed and all liability for damages resulting from use of this information or for any errors or omissions, are disclaimed. The data in this publication is for illustration purposes only and does not necessarily represent standards or specifications which must be met by V7.